

ADDRESS: 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

CONTACT NO.: (049) 543-1916

WEBSITE: www.lagunawater.com.ph

CUSTOMER NAME : LAGUNA AAAWATER CORPORATION

ADDRESS : G/F One Evotech Building, Lakeside Evozone, Nuvali, Brgy. Santo Domingo, Santa Rosa City, Laguna

ATTENTION : BIÑAN CITY HEALTH OFFICE

SUMMARY OF LABORATORY ANALYSIS

NO. OF SAMPLES : 75

TOTAL PARAMETERS TESTED: 3

ANALYSIS DATE(S) : 12/04/2023-12/18/2023

DATE/TIME COLLECTED	SAMPLE CODE	SAMPLE LOCATION	PARAMETER		
			COLIFORM ^A		HPC ^B (CFU/mL)
			TOTAL (Coliforms/ 100mL)	FECAL/ <i>E. coli</i> (Coliforms/ 100 mL)	
BRGY. BIÑAN					
12/04/2023 15:26	S23-6441	Laguna Wellfield 1	ABSENCE	ABSENCE	< 1
12/13/2023 12:02	S23-6668	Guardhouse Entrance, Phase 4C, San Jose Village I	ABSENCE	ABSENCE	< 1
12/13/2023 12:33	S23-6669	Guardhouse Entrance, Phase 3B, San Jose Village II	ABSENCE	ABSENCE	< 1
12/13/2023 12:00	S23-6670	Pump 11, Phase 5, San Jose Village II	ABSENCE	ABSENCE	< 1
12/13/2023 12:33	S23-6671	Clubhouse, Phase 5, San Jose Village II	ABSENCE	ABSENCE	< 1
12/13/2023 13:10	S23-6672	Clubhouse, Phase 6, San Jose Village III	ABSENCE	ABSENCE	< 1
12/13/2023 12:01	S23-6673	Main Gate, AVIDA Shophouse	ABSENCE	ABSENCE	< 1
12/13/2023 13:24	S23-6674	DLSU Science and Technology Complex, LTI Spine Road	ABSENCE	ABSENCE	< 1
BRGY. CANLALAY					
12/12/2023 11:43	S23-6599	Clubhouse, Golden City Subdivision	ABSENCE	ABSENCE	< 1
12/12/2023 12:00	S23-6600	Drinking Fountain, Canlalay Elementary School	ABSENCE	ABSENCE	< 1
BRGY. DELA PAZ					
12/12/2023 11:19	S23-6605	Water Pump, Almeda Subdivision	ABSENCE	ABSENCE	12
BRGY. GANADO					
12/18/2023 09:48	S23-6765	Ganado Elementary School	ABSENCE	ABSENCE	< 1
BRGY. HALANG					
12/12/2023 12:22	S23-6595	9999 Water Pump Metroville Complex	ABSENCE	ABSENCE	< 1
12/12/2023 12:34	S23-6596	Block 30 Lot 17, Metroville Complex	ABSENCE	ABSENCE	< 1
BRGY. LANGKIWA					
12/13/2023 09:40	S23-6681	Water Pump, Southville 5A	ABSENCE	ABSENCE	< 1

NOT VALID WITHOUT QR CODE



REVIEWED BY:



NOWEL ELLISON G. RAMOS, RMT
Microbiology Unit Manager
License No(s). (PRC 0090336)

CERTIFIED CORRECT BY:



ANNA KARLA S. GUTIERREZ, RMT
Laboratory Services Manager
License No(s). (PRC 0060968)

ADDRESS: 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

CONTACT NO.: (049) 543-1916

WEBSITE: www.lagunawater.com.ph

DATE/TIME COLLECTED	SAMPLE CODE	SAMPLE LOCATION	PARAMETER9		
			COLIFORM ^A		HPC ^B (CFU/mL)
			TOTAL (Coliforms/ 100mL)	FECAL/ <i>E. coli</i> (Coliforms/ 100 mL)	
12/13/2023 10:01	S23-6678	Drinking Fountain, Southville 5A National High School	ABSENCE	ABSENCE	1
12/18/2023 14:18	S23-6744	Drinking Fountain, Langkiwa Elementary School	ABSENCE	ABSENCE	< 1
12/18/2023 13:23	S23-6734	Block 3 Lot 9, Phase II, Southville	ABSENCE	ABSENCE	< 1
BRGY. LOMA					
12/13/2023 10:59	S23-6675	Block 43 Lot 13, Celina Technopark	ABSENCE	ABSENCE	< 1
12/13/2023 10:21	S23-6662	Block 10 Lot 24, Laguna Bel-Air III	ABSENCE	ABSENCE	< 1
12/13/2023 10:46	S23-6663	Clubhouse, Laguna Bel-Air III	ABSENCE	ABSENCE	< 1
12/13/2023 11:21	S23-6677	Drinking Fountain, Loma Elementary	ABSENCE	ABSENCE	< 1
BRGY. MAMPLASAN					
12/13/2023 10:55	S23-6676	Clubhouse, Verdana Homes Subdivision	ABSENCE	ABSENCE	< 1
12/18/2023 11:53	S23-6766	Amherst Laboratories, (UNILAB) Inc.	ABSENCE	ABSENCE	< 1
BRGY. POBLACION					
12/12/2023 10:54	S23-6606	Barangay Hall	ABSENCE	ABSENCE	4
BRGY. PLATERO					
12/04/2023 10:42	S23-6424	Clubhouse, Mondo Bambini	ABSENCE	ABSENCE	16
12/04/2023 10:06	S23-6425	Elevated Water Tank, Prima Casa	ABSENCE	ABSENCE	4
12/04/2023 10:06	S23-6426	Clubhouse, Prima Casa	ABSENCE	ABSENCE	< 1
12/04/2023 12:18	S23-6427	Water Pump, Springtime	ABSENCE	ABSENCE	< 1
12/04/2023 12:34	S23-6428	Block 7 Lot 10, Springtime	ABSENCE	ABSENCE	< 1
12/18/2023 13:49	S23-6768	Sea-oil, National Road	ABSENCE	ABSENCE	< 1
12/18/2023 14:12	S23-6770	Drinking Fountain, St. Michael School	ABSENCE	ABSENCE	< 1
12/04/2023 11:31	S23-6432	Water Pump, Jubilation Village - East	ABSENCE	ABSENCE	< 1
12/04/2023 11:43	S23-6433	Clubhouse, Jubilation Village - East	ABSENCE	ABSENCE	< 1
12/04/2023 11:02	S23-6430	Water Pump, Jubilation Village - South	ABSENCE	ABSENCE	< 1
12/04/2023 11:16	S23-6431	Clubhouse, Jubilation Village - South	ABSENCE	ABSENCE	< 1
12/04/2023 09:45	S23-6420	Water Pump, Summer Breeze	ABSENCE	ABSENCE	< 1
12/04/2023 09:57	S23-6421	Guardhouse, Summer Breeze	ABSENCE	ABSENCE	< 1

NOT VALID WITHOUT QR CODE



REVIEWED BY:

NOWEL ELLISON G. RAMOS, RMT
Microbiology Unit Manager
License No(s). (PRC 0090336)

CERTIFIED CORRECT BY:

ANNA KARLA S. GUTIERREZ, RMT
Laboratory Services Manager
License No(s). (PRC 0060968)

ADDRESS: 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

CONTACT NO.: (049) 543-1916


WEBSITE: www.lagunawater.com.ph

DATE/TIME COLLECTED	SAMPLE CODE	SAMPLE LOCATION	PARAMETER		
			COLIFORM ^A		HPC ^B (CFU/mL)
			TOTAL (Coliforms/ 100mL)	FECAL/ <i>E. coli</i> (Coliforms/ 100 mL)	
BRGY. SAN ANTONIO					
12/18/2023 12:35	S23-6776	Water Pump, Biñan City Hall	ABSENCE	ABSENCE	< 1
12/18/2023 12:24	S23-6777	Alonte Stadium	ABSENCE	ABSENCE	< 1
12/18/2023 13:32	S23-6771	Water Pump, Margarita Homes Subdivision	ABSENCE	ABSENCE	< 1
12/18/2023 13:39	S23-6772	Block 1 Lot 12, Margarita Homes	ABSENCE	ABSENCE	< 1
12/12/2023 09:42	S23-6601	9022 Water Pump, Faraon Subdivision	ABSENCE	ABSENCE	< 1
12/12/2023 09:26	S23-6607	Drinking Fountain, Jacobo Z Gonzales Memorial National High School	ABSENCE	ABSENCE	< 1
12/18/2023 12:55	S23-6773	Cistern Tank, Pavilion Mall	ABSENCE	ABSENCE	< 1
12/18/2023 13:04	S23-6774	Dunkin Donut, Pavilion Mall	ABSENCE	ABSENCE	< 1
12/12/2023 10:26	S23-6602	Malaban Health Center	ABSENCE	ABSENCE	< 1
12/12/2023 10:13	S23-6603	Wash Area 1, Malaban Elementary School	ABSENCE	ABSENCE	< 1
12/12/2023 10:02	S23-6604	Wash Area 2, Malaban Elementary School	ABSENCE	ABSENCE	< 1
BRGY. SANTO NIÑO					
12/18/2023 13:15	S23-6775	Jollibee National Hi-Way	ABSENCE	ABSENCE	< 1
BRGY. SAN VICENTE					
12/18/2023 12:20	S23-6733	407 Water Pump, San Vicente Subdivision	ABSENCE	ABSENCE	< 1
12/18/2023 11:01	S23-6736	Drinking Fountain, San Vicente Elementary School	ABSENCE	ABSENCE	< 1
12/18/2023 11:01	S23-6346	Block 8 Lot 6 Bayabas St., Phase 7 Olivarez Homes	ABSENCE	ABSENCE	< 1
12/18/2023 13:10	S23-6737	Cistern Tank, Central Mall	ABSENCE	ABSENCE	< 1
12/18/2023 13:52	S23-6769	Binan Doctors Hospital	ABSENCE	ABSENCE	< 1
BRGY. SANTO TOMAS					
12/18/2023 10:59	S23-6767	Water Pump, Adelina Complex 3	ABSENCE	ABSENCE	< 1
12/18/2023 11:16	S23-6743	Block 1 Lot 5, Bais St., Pragmatic	ABSENCE	ABSENCE	< 1
12/20/2023 08:56	S23-6836	HOA Office, Adelina Complex	ABSENCE	ABSENCE	< 1
12/18/2023 12:00	S23-6732	Tawi Tawi St. South City Homes	ABSENCE	ABSENCE	< 1
12/18/2023 11:34	S23-6730	Water Pump, South Plains II Subdivision	ABSENCE	ABSENCE	< 1
12/18/2023 11:55	S23-6731	Block 11 Lot 2, South Plains II Subdivision	ABSENCE	ABSENCE	< 1


NOT VALID WITHOUT QR CODE



REVIEWED BY:


NOWEL ELLISON G. RAMOS, RMT
Microbiology Unit Manager
License No(s). (PRC 0090336)

CERTIFIED CORRECT BY:


ANNA KARLA J. GUTIERREZ, RMT
Laboratory Services Manager
License No(s). (PRC 0060968)

ADDRESS: 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

CONTACT NO.: (049) 543-1916

WEBSITE: www.lagunawater.com.ph

DATE/TIME COLLECTED	SAMPLE CODE	SAMPLE LOCATION	PARAMETER		
			COLIFORM ^A		HPC ^B (CFU/mL)
			TOTAL (Coliforms/ 100mL)	FECAL/ <i>E. coli</i> (Coliforms/ 100 mL)	
12/18/2023 09:41	S23-6738	Water Pump, Town & Country, Amsterdam St.	ABSENCE	ABSENCE	< 1
12/18/2023 09:50	S23-6739	Blk 35 Lot 21, Southville Town & Country	ABSENCE	ABSENCE	< 1
12/18/2023 10:10	S23-6740	Blk 2 Lot 5, Town & Country, Pennsylvania	ABSENCE	ABSENCE	< 1
12/18/2023 10:20	S23-6741	Water Pump, Phase 4, Olivarez Homes South	ABSENCE	ABSENCE	< 1
12/18/2023 10:42	S23-6742	Blk 1 Lt 16, Phase 4, Olivarez Homes South	ABSENCE	ABSENCE	< 1
BRGY. SORO – SORO					
12/12/2023 13:18	S23-5697	Water Pump, 9067 Manila S Road	ABSENCE	ABSENCE	< 1
12/12/2023 13:02	S23-6598	#76 Manila S Road	ABSENCE	ABSENCE	< 1
BRGY. TIMBAO					
12/13/2023 10:29	S23-6680	Guardhouse, San Antonio South	ABSENCE	ABSENCE	< 1
BRGY. ZAPOTE					
12/04/2023 10:16	S23-6422	Elevated Water Tank, Evergreen	ABSENCE	ABSENCE	2
12/04/2023 10:30	S23-6423	Clubhouse, Evergreen	ABSENCE	ABSENCE	16
12/04/2023 13:01	S23-6429	Clubhouse, Jubilation Village – West	ABSENCE	ABSENCE	< 1
12/04/2023 12:52	S23-6434	Water Pump, Jubilation Village-West	ABSENCE	ABSENCE	< 1
12/18/2023 10:40	S23-6778	Clubhouse, Althea Residences	ABSENCE	ABSENCE	< 1

REMARKS: Sample collection was performed by LWC Field analyst/Laboratory technicians and were analyzed as submitted.

LEGEND: **HPC** – Heterotrophic Plate Count; **CFU** – Colony Forming Units; **MDL** – Method Detection Limit; **LOQ** – Limit of Quantification; **NA** – Not Applicable; (-) Not performed

DEVIATIONS: No deviation noted on sample collection and submission.


METHODS: **A**- Enzyme Substrate; **B**- Pour Plate

METHOD REFERENCE: Standard Methods for the Examination of Water and Wastewater, 23rd Edition


NOT VALID WITHOUT QR CODE



REVIEWED BY:


NOWEL ELLISON G. RAMOS, RMT
Microbiology Unit Manager
License No(s). (PRC 0090336)

CERTIFIED CORRECT BY:


ANNA KARLA S. GUTIERREZ, RMT
Laboratory Services Manager
License No(s). (PRC 0060968)