

**ADDRESS:** 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

**CONTACT NO.:** (049) 543-1916

**WEBSITE:** [www.lagunawater.com.ph](http://www.lagunawater.com.ph)
**CUSTOMER NAME :** LAGUNA AAAWATER CORPORATION

**ADDRESS :** G/F One Evotech Building, Lakeside Evozone, Nuvali, Brgy. Santo Domingo, Santa Rosa City, Laguna

**ATTENTION :** BIÑAN CITY HEALTH OFFICE

### SUMMARY OF LABORATORY ANALYSIS


**NO. OF SAMPLES :** 73


**TOTAL PARAMETERS TESTED:** 3

**ANALYSIS DATE(S) :** 05/05/2025-05/22/2025

| DATE/TIME<br>COLLECTED | SAMPLE CODE | SAMPLE LOCATION                                     | PARAMETER                      |  |                              |
|------------------------|-------------|---|--------------------------------|--|------------------------------|
|                        |             |   | COLIFORM <sup>A</sup>          |  | HPC <sup>B</sup><br>(CFU/mL) |
|                        |             |   | TOTAL<br>(Coliforms/<br>100mL) | FECAL/<br><i>E. coli</i><br>(Coliforms/<br>100 mL) |                              |
| BRGY. BIÑAN            |             |   |                                |  |                              |
| 05/22/2025 14:46       | S25-3335    | Laguna Wellfield 1                                  | ABSENCE                        | ABSENCE  | < 1                          |
| 05/14/2025 12:57       | S25-3062    | Guardhouse Entrance, Phase 4C, San Jose Village I   | ABSENCE                        | ABSENCE  | < 1                          |
| 05/14/2025 12:34       | S25-3063    | Clubhouse, Phase 3B, San Jose Village II            | ABSENCE                        | ABSENCE  | 1                            |
| 05/14/2025 11:39       | S25-3064    | Pump 11, Phase 5, San Jose Village II               | ABSENCE                        | ABSENCE  | < 1                          |
| 05/14/2025 11:50       | S25-3065    | Clubhouse, Phase 5, San Jose Village II             | ABSENCE                        | ABSENCE  | < 1                          |
| 05/14/2025 12:01       | S25-3066    | Clubhouse, Phase 6, San Jose Village III            | ABSENCE                        | ABSENCE  | 16                           |
| 05/14/2025 13:12       | S25-3067    | Main Gate, AVIDA Shophouse                          | ABSENCE                        | ABSENCE  | < 1                          |
| 05/14/2025 12:19       | S25-3068    | DLSU Science and Technology Complex, LTI Spine Road | ABSENCE                        | ABSENCE  | 2                            |
| BRGY. CANLALAY         |             |   |                                |  |                              |
| 05/14/2025 12:39       | S25-3093    | Clubhouse, Golden City Subdivision                  | ABSENCE                        | ABSENCE  | < 1                          |
| 05/14/2025 12:59       | S25-3094    | Drinking Fountain, Canlalay Elementary School       | ABSENCE                        | ABSENCE  | < 1                          |
| BRGY. HALANG           |             |   |                                |  |                              |
| 05/14/2025 13:37       | S25-3089    | 9999 Water Pump, Metroville Complex                 | ABSENCE                        | ABSENCE  | < 1                          |
| 05/14/2025 13:45       | S25-3090    | Block 30 Lot 17, Metroville Complex                 | ABSENCE                        | ABSENCE  | < 1                          |
| BRGY. GANADO           |             |   |                                |  |                              |
| 05/13/2025 10:01       | S25-3024    | Ganado Elementary School                            | ABSENCE                        | ABSENCE  | 48                           |
| BRGY. DELA PAZ         |             |   |                                |  |                              |
| 05/14/2025 11:44       | S25-3099    | Water Pump, Almeda Subdivision                      | ABSENCE                        | ABSENCE  | < 1                          |

**NOT VALID WITHOUT QR CODE**

**REVIEWED BY:**
  
 SHEENA MAE B. ANDRES  
 Laboratory Analyst

**CERTIFIED CORRECT BY:**
  
 ANNA KARLA S. GUTIERREZ, RMT  
 Laboratory Services Manager  
 License No(s). (PRC 0060968)

**ADDRESS:** 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

**CONTACT NO.:** (049) 543-1916


**WEBSITE:** [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

| DATE/TIME COLLECTED | SAMPLE CODE | SAMPLE LOCATION  | PARAMETER9                     |  |                              |
|---------------------|-------------|--|--------------------------------|--|------------------------------|
|                     |             |  | COLIFORM <sup>A</sup>          |  | HPC <sup>B</sup><br>(CFU/mL) |
|                     |             |  | TOTAL<br>(Coliforms/<br>100mL) | FECAL/<br><i>E. coli</i><br>(Coliforms/<br>100 mL) |                              |
| BRGY. LANGKIWA      |             |  |                                |  |                              |
| 05/14/2025 09:49    | S25-3075    | Water Pump, Southville 5A  | ABSENCE                        | ABSENCE  | 10                           |
| 05/14/2025 10:01    | S25-3072    | Drinking Fountain, Southville 5A National High School              | ABSENCE                        | ABSENCE  | < 1                          |
| 05/14/2025 10:18    | S25-3073    | Drinking Fountain, Langkiwa Elementary School                      | ABSENCE                        | ABSENCE  | < 1                          |
| 05/19/2025 13:27    | S25-3156    | Block 3 Lot 9, Phase II, Southville                                | ABSENCE                        | ABSENCE  | < 1                          |
| BRGY. LOMA          |             |  |                                |  |                              |
| 05/14/2025 11:20    | S25-3069    | Block 43 Lot 13, Celina Technopark                                 | ABSENCE                        | ABSENCE  | 88                           |
| 05/19/2025 10:42    | S25-3134    | Block 10 Lot 24, Laguna Bel-Air III                                | ABSENCE                        | ABSENCE  | < 1                          |
| 05/19/2025 11:09    | S25-3135    | Clubhouse, Laguna Bel-Air III                                      | ABSENCE                        | ABSENCE  | 11                           |
| 05/14/2025 10:42    | S25-3071    | Drinking Fountain, Loma Elementary                                 | ABSENCE                        | ABSENCE  | < 1                          |
| BRGY. MAMPLASAN     |             |  |                                |  |                              |
| 05/14/2025 11:18    | S25-3070    | Clubhouse, Verdana Homes Subdivision                               | ABSENCE                        | ABSENCE  | < 1                          |
| 05/13/2025 12:43    | S25-3025    | Amherst Laboratory (UNILAB)  | ABSENCE                        | ABSENCE  | 35                           |
| BRGY. POBLACION     |             |  |                                |  |                              |
| 05/14/2025 10:56    | S25-3100    | Barangay Hall  | ABSENCE                        | ABSENCE  | < 1                          |
| BRGY. PLATERO       |             |  |                                |  |                              |
| 05/05/2025 1:16     | S25-2856    | Clubhouse, Mondo Bambini   | ABSENCE                        | ABSENCE  | < 1                          |
| 05/05/2025 12:50    | S25-2858    | Clubhouse, Prima Casa  | ABSENCE                        | ABSENCE  | < 1                          |
| 05/05/2025 12:39    | S25-2857    | Elevated Water Tank, Prima Casa                                    | ABSENCE                        | ABSENCE  | < 1                          |
| 05/05/2025 13:14    | S25-2859    | Water Pump, Springtime   | ABSENCE                        | ABSENCE  | < 1                          |
| 05/05/2025 13:30    | S25-2860    | Block 7 Lot 10, Springtime   | ABSENCE                        | ABSENCE  | 41                           |
| 05/13/2025 14:09    | S25-3027    | Sea-oil, National Road   | ABSENCE                        | ABSENCE  | 32                           |
| 05/13/2025 10:57    | S25-3029    | Drinking Fountain, St. Michael School                              | ABSENCE                        | ABSENCE  | 11                           |
| BRGY. SAN ANTONIO   |             |  |                                |  |                              |
| 05/13/2025 12:52    | S25-3033    | Water Pump, Biñan City Hall  | ABSENCE                        | ABSENCE  | 77                           |
| 05/13/2025 13:03    | S25-3034    | Alonte Stadium   | ABSENCE                        | ABSENCE  | 19                           |
| 05/13/2025 11:26    | S25-3037    | Block 12 Lot 3, Margarita Homes                                    | ABSENCE                        | ABSENCE  | 47                           |
| 05/14/2025 10:28    | S25-2347    | 9022 Water Pump, Faraon Subdivision                                | ABSENCE                        | ABSENCE  | < 1                          |
| 05/14/2025 10:40    | S25-3101    | Drinking Fountain, Jacobo Z Gonzales Memorial National High School | ABSENCE                        | ABSENCE  | < 1                          |
| 05/13/2025 11:57    | S25-3030    | Cistern Tank, Pavilion Mall  | ABSENCE                        | ABSENCE  | 100                          |
| 05/13/2025 11:47    | S25-3031    | Army Navy, Pavilion Mall   | ABSENCE                        | ABSENCE  | 41                           |
| 05/14/2025 10:16    | S25-2353    | Malaban Health Center  | ABSENCE                        | ABSENCE  | < 1                          |


NOT VALID WITHOUT QR CODE



REVIEWED BY:

  
SHEENA MAE B. ANDRES  
Laboratory Analyst

CERTIFIED CORRECT BY:

  
ANNA KARLA S. GUTIERREZ, RMT  
Laboratory Services Manager  
License No(s). (PRC 0060968)

**ADDRESS:** 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

**CONTACT NO.:** (049) 543-1916

**WEBSITE:** [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

| DATE/TIME COLLECTED      | SAMPLE CODE | SAMPLE LOCATION                                   | PARAMETER                      |  |                              |
|--------------------------|-------------|---|--------------------------------|--|------------------------------|
|                          |             |   | COLIFORM <sup>A</sup>          |  | HPC <sup>B</sup><br>(CFU/mL) |
|                          |             |   | TOTAL<br>(Coliforms/<br>100mL) | FECAL/<br><i>E. coli</i><br>(Coliforms/<br>100 mL) |                              |
| 05/14/2025 10:02         | S25-3097    | Wash Area 1, Malaban Elementary School            | ABSENCE                        | ABSENCE  | < 1                          |
| 05/14/2025 10:07         | S25-3098    | Wash Area 2, Malaban Elementary School            | ABSENCE                        | ABSENCE  | 63                           |
| <b>BRGY. SANTO NIÑO</b>  |             |   |                                |  |                              |
| 05/13/2025 12:07         | S25-3032    | Jollibee National Hi-Way                          | ABSENCE                        | ABSENCE  | 240                          |
| <b>BRGY. SAN VICENTE</b> |             |   |                                |  |                              |
| 05/19/2025 13:10         | S25-3155    | 407 Water Pump, San Vicente Subdivision           | ABSENCE                        | ABSENCE  | < 1                          |
| 05/19/2025 11:40         | S25-3158    | Block 8 Lot 6 Bayabas St., Phase 7 Olivarez Homes | ABSENCE                        | ABSENCE  | < 1                          |
| 05/19/2025 13:40         | S25-3157    | Drinking Fountain, San Vicente Elementary School  | ABSENCE                        | ABSENCE  | < 1                          |
| 05/19/2025 14:00         | S25-3159    | Cistern Tank, Central Mall                        | ABSENCE                        | ABSENCE  | 25                           |
| 05/13/2025 10:40         | S25-3028    | Binan Doctor's Hospital                           | ABSENCE                        | ABSENCE  | < 1                          |
| <b>BRGY. SANTO TOMAS</b> |             |   |                                |  |                              |
| 05/13/2025 13:40         | S25-3026    | Water Pump, Adelina Complex 3                     | ABSENCE                        | ABSENCE  | 20                           |
| 05/19/2025 13:01         | S25-3165    | Block 1 Lot 5, Bais St., Pragmatic                | ABSENCE                        | ABSENCE  | 5                            |
| 05/13/2025 13:49         | S25-3036    | Block 3 Lot 14, Adelina Complex                   | ABSENCE                        | ABSENCE  | < 1                          |
| 05/19/2025 12:47         | S25-3154    | Tawi Tawi St. South City Homes                    | ABSENCE                        | ABSENCE  | < 1                          |
| 05/19/2025 12:20         | S25-3152    | Water Pump, South Plains II Subdivision           | ABSENCE                        | ABSENCE  | < 1                          |
| 05/19/2025 12:31         | S25-3153    | Block 11 Lot 2, South Plains II Subdivision       | ABSENCE                        | ABSENCE  | < 1                          |
| 05/19/2025 10:30         | S25-3160    | Water Pump, Town & Country, Amsterdam St.         | ABSENCE                        | ABSENCE  | 5                            |
| 05/19/2025 10:48         | S25-3162    | Blk 35 Lot 21, Southville Town & Country          | ABSENCE                        | ABSENCE  | 1                            |
| 05/19/2025 10:59         | S25-3162    | Blk 2 Lot 5, Town & Country, Pennsylvania         | ABSENCE                        | ABSENCE  | < 1                          |
| 05/19/2025 11:16         | S25-3163    | Water Pump, Phase 4, Olivarez Homes South         | ABSENCE                        | ABSENCE  | < 1                          |
| 05/19/2025 11:29         | S25-3164    | Blk 1 Lt 16, Phase 4, Olivarez Homes South        | ABSENCE                        | ABSENCE  | < 1                          |
| <b>BRGY. SORO – SORO</b> |             |   |                                |  |                              |
| 05/14/2025 14:09         | S25-3091    | #76 Manila S Road                                 | ABSENCE                        | ABSENCE  | < 1                          |
| 05/14/2025 14:00         | S25-3092    | Water Pump, 9067 Manila S Road                    | ABSENCE                        | ABSENCE  | 27                           |
| <b>BRGY. TIMBAO</b>      |             |   |                                |  |                              |
| 05/14/2025 10:29         | S25-3074    | Gate Entrance, San Antonio South                  | ABSENCE                        | ABSENCE  | 16                           |
| <b>BRGY. ZAPOTE</b>      |             |   |                                |  |                              |
| 05/05/2025 09:02         | S25-2852    | Water Pump, Summer Breeze                         | ABSENCE                        | ABSENCE  | < 1                          |

**NOT VALID WITHOUT QR CODE**

**REVIEWED BY:**

*[Signature]*  
 SHEENA MAE B. ANDRES  
 Laboratory Analyst

**CERTIFIED CORRECT BY:**

*[Signature]*  
 ANNA KARLA S. GUTIERREZ, RMT  
 Laboratory Services Manager  
 License No(s). (PRC 0060968)

*This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis.*

**ADDRESS:** 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

**CONTACT NO.:** (049) 543-1916

**WEBSITE:** [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

| DATE/TIME COLLECTED | SAMPLE CODE | SAMPLE LOCATION                           | PARAMETER                      |  |                              |
|---------------------|-------------|---|--------------------------------|--|------------------------------|
|                     |             |   | COLIFORM <sup>A</sup>          |  | HPC <sup>B</sup><br>(CFU/mL) |
|                     |             |   | TOTAL<br>(Coliforms/<br>100mL) | FECAL/<br><i>E. coli</i><br>(Coliforms/<br>100 mL) |                              |
| 05/05/2025 09:15    | S25-2853    | Clubhouse, Summer Breeze                  | ABSENCE                        | ABSENCE  | < 1                          |
| 05/05/2025 11:04    | S25-2855    | Clubhouse, Evergreen                      | ABSENCE                        | ABSENCE  | < 1                          |
| 05/05/2025 10:55    | S25-2854    | Elevated Water Tank, Evergreen            | ABSENCE                        | ABSENCE  | < 1                          |
| 05/05/2025 14:23    | S25-2861    | Water Pump, Jubilation Village - West     | ABSENCE                        | ABSENCE  | 30                           |
| 05/05/2025 14:31    | S25-2862    | Clubhouse, Jubilation Home Village – West | ABSENCE                        | ABSENCE  | 12                           |
| 05/05/2025 11:34    | S25-2863    | Water Pump, Jubilation Village - South    | ABSENCE                        | ABSENCE  | < 1                          |
| 05/05/2025 11:45    | S25-2864    | Clubhouse, Jubilation Village - South     | ABSENCE                        | ABSENCE  | < 1                          |
| 05/05/2025 12:06    | S25-2865    | Water Pump, Jubilation Village - East     | ABSENCE                        | ABSENCE  | < 1                          |
| 05/05/2025 12:18    | S25-2866    | Clubhouse, Jubilation Village - East      | ABSENCE                        | ABSENCE  | < 1                          |
| 05/13/2025 13:15    | S25-3035    | Clubhouse, Althea Residences              | ABSENCE                        | ABSENCE  | 65                           |

**REMARKS:** Sample collection was performed by LWC Field analyst/Laboratory technicians and were analyzed as submitted.

**LEGEND:** HPC – Heterotrophic Plate Count; CFU – Colony Forming Units; MDL – Method Detection Limit; LOQ – Limit of Quantification; NA – Not Applicable; ( - ) Not performed

**DEVIATIONS:** No deviation noted on sample collection and submission.


**METHODS:** A - Enzyme Substrate; B – Pour Plate

**METHOD REFERENCE:** Standard Methods for the Examination of Water and Wastewater, 24<sup>th</sup> Edition


NOT VALID WITHOUT QR CODE



REVIEWED BY:

  
SHEENA MAE B. ANDRES  
Laboratory Analyst

CERTIFIED CORRECT BY:

  
ANNA KARLA S. GUTIERREZ, RMT  
Laboratory Services Manager  
License No(s). (PRC 0060968)