

**ADDRESS:** 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

**CONTACT NO.:** (049) 543-1916

**WEBSITE:** [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

Test Report ID : TR-19-1873 Date Prepared : 06/28/2019  
 Sample Code : S19-2686  
 Name of Company / Customer : Laguna Water Corporation  
 Address : G/F, One Evotech Building, Nuvali, Brgy. Sto. Domingo, Sta. Rosa City, Laguna  
 Date/Time Collected : 06/12/2019 18:09 Date/Time Submitted : 06/12/2019 23:10  
 Collected By : Ohwen L. Catindig Submitted By : Ohwen L. Catindig  
 Condition of Sample Upon Receipt : 100 mL water sample in clear, glass, sterile container with 3% sodium thiosulfate  
 Sample Source Characteristics : Distribution – Network Sampling Point  
 References : Standard Methods for the Examination of Water and Wastewater, 23<sup>rd</sup> Edition  
 : DOH AO 2017-0010 "Philippine National Standards for Drinking Water of 2017"

## RESULTS OF LABORATORY ANALYSIS


**SAMPLE LOCATION : PAGWAD OFFICE, J.P RIZAL ST., BRGY. DOS,PAGSANJAN, LAGUNA**

PARAMETER(S)	UNIT(S)	RESULT(S)	PNSDW LIMIT(/S)	METHOD(S)	ANALYZED	
					DATE	BY
Total Coliform	Coliforms/100 mL	<b>ABSENCE</b>	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	6/12/2019	JDE
Thermotolerant Coliform / <i>Escherichia coli</i>	Coliforms/100 mL	<b>ABSENCE</b>	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	6/12/2019	JDE
Heterotrophic Plate Count	CFU/mL	<b>&lt; 1</b>	500 (max.)	9215B. Pour Plate Method	06/12/2019	JDE

Remarks: Samples analyzed as submitted. No deviations noted on sample collection and submission.


Legend: **CFU** – Colony Forming Units

**CERTIFIED CORRECT BY:**

  
ANNA KARLA S. GUTIERREZ, RMT  
Microbiologist, Head  
PRC License No. 0060968

**NOTED BY:**

  
CYRIL A. ERICA, RMT, MLS(ASCP)<sup>CM</sup>  
Laboratory Services Manager  
License No(s). (PRC 0054161/ASCP 10981)

Test Report QC Checked By: 

Date of Test Report QC Check: 

*This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis*

**ADDRESS:** 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

**CONTACT NO.:** (049) 543-1916

**WEBSITE:** [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

Test Report ID : TR-19-1872 Date Prepared : 06/28/2019  
 Sample Code : S19-2685  
 Name of Company / Customer : Laguna Water Corporation  
 Address : G/F, One Evotech Building, Nuvali, Brgy. Sto. Domingo, Sta. Rosa City, Laguna  
 Date/Time Collected : 06/12/2019 17:58 Date/Time Submitted : 06/12/2019 23:10  
 Collected By : Ohwen L. Catindig Submitted By : Ohwen L. Catindig  
 Condition of Sample Upon Receipt : 100 mL water sample in clear, glass, sterile container with 3% sodium thiosulfate  
 Sample Source Characteristics : Distribution – Network Sampling Point  
 References : Standard Methods for the Examination of Water and Wastewater, 23<sup>rd</sup> Edition  
 : DOH AO 2017-0010 "Philippine National Standards for Drinking Water of 2017"

### RESULTS OF LABORATORY ANALYSIS


**SAMPLE LOCATION : #248 GEN LUNA STREET, BRGY. MAULAWIN, PAGSANJAN, LAGUNA**

PARAMETER(S)	UNIT(S)	RESULT(S)	PNSDW LIMIT(/S)	METHOD(S)	ANALYZED	
					DATE	BY
Total Coliform	Coliforms/100 mL	<b>ABSENCE</b>	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	6/12/2019	JDE
Thermotolerant Coliform / <i>Escherichia coli</i>	Coliforms/100 mL	<b>ABSENCE</b>	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	6/12/2019	JDE
Heterotrophic Plate Count	CFU/mL	<b>&lt; 1</b>	500 (max.)	9215B. Pour Plate Method	06/12/2019	JDE

Remarks: Samples analyzed as submitted. No deviations noted on sample collection and submission.


Legend: **CFU** – Colony Forming Units

**CERTIFIED CORRECT BY:**

  
 ANNA KARLA S. GUTIERREZ, RMT  
 Microbiologist, Head  
 PRC License No. 0060968

**NOTED BY:**

  
 CYRIL A. ERICA, RMT, MLS(ASCP)<sup>CM</sup>  
 Laboratory Services Manager  
 License No(s). (PRC 0054161/ASCP 10981)

Test Report QC Checked By: 

Date of Test Report QC Check: 

*This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis*

**ADDRESS:** 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna  
**CONTACT NO.:** (049) 543-1916  
**WEBSITE:** [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

Test Report ID : TR-19-1871 Date Prepared : 06/28/2019  
Sample Code : S19-2684  
Name of Company / Customer : Laguna Water Corporation  
Address : G/F, One Evotech Building, Nuvali, Brgy. Sto. Domingo, Sta. Rosa City, Laguna  
Date/Time Collected : 06/12/2019 17:43 Date/Time Submitted : 06/12/2019 23:10  
Collected By : Ohwen L. Catindig Submitted By : Ohwen L. Catindig  
Condition of Sample Upon Receipt : 100 mL water sample in clear, glass, sterile container with 3% sodium thiosulfate  
Sample Source Characteristics : Distribution – Network Sampling Point  
References : Standard Methods for the Examination of Water and Wastewater, 23<sup>rd</sup> Edition  
: DOH AO 2017-0010 "Philippine National Standards for Drinking Water of 2017"

## RESULTS OF LABORATORY ANALYSIS


**SAMPLE LOCATION : MANALO RESIDENCE, BRGY. PINAGSANGAN, PAGSANJAN, LAGUNA**

PARAMETER(S)	UNIT(S)	RESULT(S)	PNSDW LIMIT(/S)	METHOD(S)	ANALYZED	
					DATE	BY
Total Coliform	Coliforms/100 mL	<b>ABSENCE</b>	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	6/12/2019	JDE
Thermotolerant Coliform / <i>Escherichia coli</i>	Coliforms/100 mL	<b>ABSENCE</b>	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	6/12/2019	JDE
Heterotrophic Plate Count	CFU/mL	<b>2</b>	500 (max.)	9215B. Pour Plate Method	06/12/2019	JDE


Remarks: Samples analyzed as submitted. No deviations noted on sample collection and submission.

Legend: **CFU** – Colony Forming Units


**CERTIFIED CORRECT BY:**

  
ANNA KARLA S. GUTIERREZ, RMT  
Microbiologist, Head  
PRC License No. 0060968

**NOTED BY:**

  
CYRIL A. ERICA, RMT, MLS(ASCP)<sup>CM</sup>  
Laboratory Services Manager  
License No(s). (PRC 0054161/ASCP 10981)

Test Report QC Checked By: 

Date of Test Report QC Check: 

*This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis*

**ADDRESS:** 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

**CONTACT NO.:** (049) 543-1916

**WEBSITE:** [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

Test Report ID : TR-19-1870 Date Prepared : 06/28/2019  
 Sample Code : S19-2683  
 Name of Company / Customer : Laguna Water Corporation  
 Address : G/F, One Evotech Building, Nuvali, Brgy. Sto. Domingo, Sta. Rosa City, Laguna  
 Date/Time Collected : 06/12/2019 17:08 Date/Time Submitted : 06/12/2019 23:10  
 Collected By : Ohwen L. Catindig Submitted By : Ohwen L. Catindig  
 Condition of Sample Upon Receipt : 100 mL water sample in clear, glass, sterile container with 3% sodium thiosulfate  
 Sample Source Characteristics : Source – Treated Water (w/ Chlorination)  
 References : Standard Methods for the Examination of Water and Wastewater, 23<sup>rd</sup> Edition  
 : DOH AO 2017-0010 "Philippine National Standards for Drinking Water of 2017"

### RESULTS OF LABORATORY ANALYSIS


**SAMPLE LOCATION : PUMP STATION #2, BRGY. PINAGSANGAN, PAGSANJAN, LAGUNA**

PARAMETER(S)	UNIT(S)	RESULT(S)	PNSDW LIMIT(/S)	METHOD(S)	ANALYZED	
					DATE	BY
Total Coliform	Coliforms/100 mL	<b>ABSENCE</b>	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	6/12/2019	JDE
Thermotolerant Coliform / <i>Escherichia coli</i>	Coliforms/100 mL	<b>ABSENCE</b>	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	6/12/2019	JDE
Heterotrophic Plate Count	CFU/mL	<b>&lt; 1</b>	500 (max.)	9215B. Pour Plate Method	06/12/2019	JDE

Remarks: Samples analyzed as submitted. No deviations noted on sample collection and submission.


Legend: **CFU** – Colony Forming Units

**CERTIFIED CORRECT BY:**

  
ANNA KARLA S. GUTIERREZ, RMT  
Microbiologist, Head  
PRC License No. 0060968

**NOTED BY:**

  
CYRIL A. ERICA, RMT, MLS(ASCP)<sup>CM</sup>  
Laboratory Services Manager  
License No(s). (PRC 0054161/ASCP 10981)

Test Report QC Checked By: 

Date of Test Report QC Check: 

*This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis*



**ADDRESS:** 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

**CONTACT NO.:** (049) 543-1916

**WEBSITE:** [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

Test Report ID : TR-19-1869 Date Prepared : 06/28/2019  
 Sample Code : S19-2682  
 Name of Company / Customer : Laguna Water Corporation  
 Address : G/F, One Evotech Building, Nuvali, Brgy. Sto. Domingo, Sta. Rosa City, Laguna  
 Date/Time Collected : 06/12/2019 17:31 Date/Time Submitted : 06/12/2019 23:10  
 Collected By : Ohwen L. Catindig Submitted By : Ohwen L. Catindig  
 Condition of Sample Upon Receipt : 100 mL water sample in clear, glass, sterile container with 3% sodium thiosulfate  
 Sample Source Characteristics : Distribution – Network Sampling Point  
 References : Standard Methods for the Examination of Water and Wastewater, 23<sup>rd</sup> Edition  
 : DOH AO 2017-0010 "Philippine National Standards for Drinking Water of 2017"

## RESULTS OF LABORATORY ANALYSIS


**SAMPLE LOCATION : EMIL'S PANSITAN, BRGY. PINAGSANGAN, PAGSANJAN, LAGUNA**

PARAMETER(S)	UNIT(S)	RESULT(S)	PNSDW LIMIT(S)	METHOD(S)	ANALYZED	
					DATE	BY
Total Coliform	Coliforms/100 mL	<b>ABSENCE</b>	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	6/12/2019	JDE
Thermotolerant Coliform / <i>Escherichia coli</i>	Coliforms/100 mL	<b>ABSENCE</b>	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	6/12/2019	JDE
Heterotrophic Plate Count	CFU/mL	<b>&lt; 1</b>	500 (max.)	9215B. Pour Plate Method	06/12/2019	JDE

Remarks: Samples analyzed as submitted. No deviations noted on sample collection and submission.

Legend: **CFU** – Colony Forming Units

**CERTIFIED CORRECT BY:**

  
 ANNA KARLA S. GUTIERREZ, RMT  
 Microbiologist, Head  
 PRC License No. 0060968

**NOTED BY:**

  
 CYRIL A. ERICA, RMT, MLS(ASCP)<sup>CM</sup>  
 Laboratory Services Manager  
 License No(s). (PRC 0054161/ASCP 10981)

Test Report QC Checked By: 

Date of Test Report QC Check: 

*This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis*

**ADDRESS:** 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

**CONTACT NO.:** (049) 543-1916

**WEBSITE:** [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

Test Report ID : TR-19-1868 Date Prepared : 06/28/2019  
 Sample Code : S19-2681  
 Name of Company / Customer : Laguna Water Corporation  
 Address : G/F, One Evotech Building, Nuvali, Brgy. Sto. Domingo, Sta. Rosa City, Laguna  
 Date/Time Collected : 06/12/2019 16:52 Date/Time Submitted : 06/12/2019 23:10  
 Collected By : Ohwen L. Catindig Submitted By : Ohwen L. Catindig  
 Condition of Sample Upon Receipt : 100 mL water sample in clear, glass, sterile container with 3% sodium thiosulfate  
 Sample Source Characteristics : Source – Treated Water (w/ Chlorination)  
 References : Standard Methods for the Examination of Water and Wastewater, 23<sup>rd</sup> Edition  
 : DOH AO 2017-0010 "Philippine National Standards for Drinking Water of 2017"

**RESULTS OF LABORATORY ANALYSIS**


**SAMPLE LOCATION : PUMP STATION #7, BRGY. PINAGSANJAN, PAGSANJAN, LAGUNA**

PARAMETER(S)	UNIT(S)	RESULT(S)	PNSDW LIMIT(/S)	METHOD(S)	ANALYZED	
					DATE	BY
Total Coliform	Coliforms/100 mL	<b>ABSENCE</b>	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	6/12/2019	JDE
Thermotolerant Coliform / <i>Escherichia coli</i>	Coliforms/100 mL	<b>ABSENCE</b>	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	6/12/2019	JDE
Heterotrophic Plate Count	CFU/mL	<b>6</b>	500 (max.)	9215B. Pour Plate Method	06/12/2019	JDE

Remarks: Samples analyzed as submitted. No deviations noted on sample collection and submission.

Legend: **CFU** – Colony Forming Units


**CERTIFIED CORRECT BY:**

  
 ANNA KARLA S. GUTIERREZ, RMT  
 Microbiologist, Head  
 PRC License No. 0060968

**NOTED BY:**

  
 CYRIL A. ERICA, RMT, MLS(ASCP)<sup>CM</sup>  
 Laboratory Services Manager  
 License No(s). (PRC 0054161/ASCP 10981)

Test Report QC Checked By: 

Date of Test Report QC Check: 

*This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis*

**ADDRESS:** 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna  
**CONTACT NO.:** (049) 543-1916  
**WEBSITE:** [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

Test Report ID : TR-19-1867 Date Prepared : 06/28/2019  
Sample Code : S19-2680  
Name of Company / Customer : Laguna Water Corporation  
Address : G/F, One Evotech Building, Nuvali, Brgy. Sto. Domingo, Sta. Rosa City, Laguna  
Date/Time Collected : 06/12/2019 15:17 Date/Time Submitted : 06/12/2019 23:10  
Collected By : Ohwen L. Catindig Submitted By : Ohwen L. Catindig  
Condition of Sample Upon Receipt : 100 mL water sample in clear, glass, sterile container with 3% sodium thiosulfate  
Sample Source Characteristics : Source – Treated Water (w/ Chlorination)  
References : Standard Methods for the Examination of Water and Wastewater, 23<sup>rd</sup> Edition  
: DOH AO 2017-0010 “Philippine National Standards for Drinking Water of 2017”


### RESULTS OF LABORATORY ANALYSIS

**SAMPLE LOCATION : PUMP STATION #4, BRGY. UNO, POBLACION 1, PAGSANJAN, LAGUNA**

PARAMETER(S)	UNIT(S)	RESULT(S)	PNSDW LIMIT(/S)	METHOD(S)	ANALYZED	
					DATE	BY
Total Coliform	Coliforms/100 mL	<b>ABSENCE</b>	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	6/12/2019	JDE
Thermotolerant Coliform / <i>Escherichia coli</i>	Coliforms/100 mL	<b>ABSENCE</b>	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	6/12/2019	JDE
Heterotrophic Plate Count	CFU/mL	<b>&lt; 1</b>	500 (max.)	9215B. Pour Plate Method	06/12/2019	JDE

Remarks: Samples analyzed as submitted. No deviations noted on sample collection and submission.  
Legend: **CFU** – Colony Forming Units

**CERTIFIED CORRECT BY:**

  
ANNA KARLA S. GUTIERREZ, RMT  
Microbiologist, Head  
PRC License No. 0050968

**NOTED BY:**

  
CYRIL A. ERICA, RMT, MLS(ASCP)<sup>CM</sup>  
Laboratory Services Manager  
License No(s). (PRC 0054161/ASCP 10981)

Test Report QC Checked By: 

Date of Test Report QC Check: 

*This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis*

**ADDRESS:** 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna  
**CONTACT NO.:** (049) 543-1916  
**WEBSITE:** [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

**Test Report ID** : TR-19-1866 **Date Prepared** : 06/28/2019  
**Sample Code** : S19-2679  
**Name of Company / Customer** : Laguna Water Corporation  
**Address** : G/F, One Evotech Building, Nuvali, Brgy. Sto. Domingo, Sta. Rosa City, Laguna  
**Date/Time Collected** : 06/12/2019 15:31 **Date/Time Submitted** : 06/12/2019 23:10  
**Collected By** : Ohwen L. Catindig **Submitted By** : Ohwen L. Catindig  
**Condition of Sample Upon Receipt** : 100 mL water sample in clear, glass, sterile container with 3% sodium thiosulfate  
**Sample Source Characteristics** : Distribution – Network Sampling Point  
**References** : Standard Methods for the Examination of Water and Wastewater, 23<sup>rd</sup> Edition  
: DOH AO 2017-0010 “Philippine National Standards for Drinking Water of 2017”


### RESULTS OF LABORATORY ANALYSIS

**SAMPLE LOCATION** : CHRISTIAN GENERAL HOSPITAL, BRGY. POBLACION 1, PAGSANJAN, LAGUNA

PARAMETER(S)	UNIT(S)	RESULT(S)	PNSDW LIMIT(/S)	METHOD(S)	ANALYZED	
					DATE	BY
Total Coliform	Coliforms/100 mL	ABSENCE	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	6/12/2019	JDE
Thermotolerant Coliform / <i>Escherichia coli</i>	Coliforms/100 mL	ABSENCE	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	6/12/2019	JDE
Heterotrophic Plate Count	CFU/mL	< 1	500 (max.)	9215B. Pour Plate Method	06/12/2019	JDE

Remarks: Samples analyzed as submitted. No deviations noted on sample collection and submission.  
Legend: CFU – Colony Forming Units


**CERTIFIED CORRECT BY:**

  
ANNA KARLA S. GUTIERREZ, RMT  
Microbiologist, Head  
PRC License No. 0060968

**NOTED BY:**

  
CYRIL A. ERICA, RMT, MLS(ASCP)<sup>CM</sup>  
Laboratory Services Manager  
License No(s). (PRC 0054161/ASCP 10981)

Test Report QC Checked By: 

Date of Test Report QC Check: 

*This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis*



**ADDRESS:** 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna  
**CONTACT NO.:** (049) 543-1916  
**WEBSITE:** [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

Test Report ID : TR-19-1865 Date Prepared : 06/28/2019  
Sample Code : S19-2678  
Name of Company / Customer : Laguna Water Corporation  
Address : G/F, One Evotech Building, Nuvali, Brgy. Sto. Domingo, Sta. Rosa City, Laguna  
Date/Time Collected : 06/12/2019 16:37 Date/Time Submitted : 06/12/2019 23:10  
Collected By : Ohwen L. Catindig Submitted By : Ohwen L. Catindig  
Condition of Sample Upon Receipt : 100 mL water sample in clear, glass, sterile container with 3% sodium thiosulfate  
Sample Source Characteristics : Distribution – Network Sampling Point  
References : Standard Methods for the Examination of Water and Wastewater, 23<sup>rd</sup> Edition  
: DOH AO 2017-0010 “Philippine National Standards for Drinking Water of 2017”

## RESULTS OF LABORATORY ANALYSIS


**SAMPLE LOCATION : BIG BOY EATERY, RIZAL STREET, BRGY. DOS, PAGSANJAN, LAGUNA**

PARAMETER(S)	UNIT(S)	RESULT(S)	PNSDW LIMIT(/S)	METHOD(S)	ANALYZED	
					DATE	BY
Total Coliform	Coliforms/100 mL	<b>ABSENCE</b>	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	6/12/2019	JDE
Thermotolerant Coliform / <i>Escherichia coli</i>	Coliforms/100 mL	<b>ABSENCE</b>	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	6/12/2019	JDE
Heterotrophic Plate Count	CFU/mL	<b>17</b>	500 (max.)	9215B. Pour Plate Method	06/12/2019	JDE

Remarks: Samples analyzed as submitted. No deviations noted on sample collection and submission.

Legend: **CFU** – Colony Forming Units

**CERTIFIED CORRECT BY:**

  
ANNA KARLA S. GUTIERREZ, RMT  
Microbiologist, Head  
PRC License No. 0060968

**NOTED BY:**

  
CYRIL A. ERICA, RMT, MLS(ASCP)<sup>CM</sup>  
Laboratory Services Manager  
License No(s). (PRC 0054161/ASCP 10981)

Test Report QC Checked By: 

Date of Test Report QC Check: 6/27/19

*This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis*

**ADDRESS:** 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

**CONTACT NO.:** (049) 543-1916

**WEBSITE:** [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

Test Report ID : TR-19-1864 Date Prepared : 06/28/2019  
 Sample Code : S19-2677  
 Name of Company / Customer : Laguna Water Corporation  
 Address : G/F, One Evotech Building, Nuvali, Brgy. Sto. Domingo, Sta. Rosa City, Laguna  
 Date/Time Collected : 06/12/2019 15:54 Date/Time Submitted : 06/12/2019 23:10  
 Collected By : Ohwen L. Catindig Submitted By : Ohwen L. Catindig  
 Condition of Sample Upon Receipt : 100 mL water sample in clear, glass, sterile container with 3% sodium thiosulfate  
 Sample Source Characteristics : Source – Treated Water (w/ Chlorination)  
 References : Standard Methods for the Examination of Water and Wastewater, 23<sup>rd</sup> Edition  
 : DOH AO 2017-0010 "Philippine National Standards for Drinking Water of 2017"

## RESULTS OF LABORATORY ANALYSIS

**SAMPLE LOCATION : PUMP STATION 5, BRGY. POBLACION 2, PAGSANJAN, LAGUNA**

PARAMETER(S)	UNIT(S)	RESULT(S)	PNSDW LIMIT(/S)	METHOD(S)	ANALYZED	
					DATE	BY
Total Coliform	Coliforms/100 mL	ABSENCE	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	6/12/2019	JDE
Thermotolerant Coliform / <i>Escherichia coli</i>	Coliforms/100 mL	ABSENCE	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	6/12/2019	JDE
Heterotrophic Plate Count	CFU/mL	< 1	500 (max.)	9215B. Pour Plate Method	06/12/2019	JDE


Remarks: Samples analyzed as submitted. No deviations noted on sample collection and submission.

Legend: CFU – Colony Forming Units


**CERTIFIED CORRECT BY:**

  
 ANNA KARLA S. GUTIERREZ, RMT  
 Microbiologist, Head  
 PRC License No. 0060968

**NOTED BY:**

  
 CYRIL A. ERICA, RMT, MLS(ASCP)<sup>CM</sup>  
 Laboratory Services Manager  
 License No(s). (PRC 0054161/ASCP 10981)

Test Report QC Checked By: 

Date of Test Report QC Check: 

*This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis*

**ADDRESS:** 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

**CONTACT NO.:** (049) 543-1916

**WEBSITE:** [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

Test Report ID : TR-19-1863 Date Prepared : 06/28/2019  
 Sample Code : S19-2676  
 Name of Company / Customer : Laguna Water Corporation  
 Address : G/F, One Evotech Building, Nuvali, Brgy. Sto. Domingo, Sta. Rosa City, Laguna  
 Date/Time Collected : 06/12/2019 15:39 Date/Time Submitted : 06/12/2019 23:10  
 Collected By : Ohwen L. Catindig Submitted By : Ohwen L. Catindig  
 Condition of Sample Upon Receipt : 100 mL water sample in clear, glass, sterile container with 3% sodium thiosulfate  
 Sample Source Characteristics : Distribution – Network Sampling Point  
 References : Standard Methods for the Examination of Water and Wastewater, 23<sup>rd</sup> Edition  
 : DOH AO 2017-0010 "Philippine National Standards for Drinking Water of 2017"

### RESULTS OF LABORATORY ANALYSIS


**SAMPLE LOCATION : MENDOZA RESIDENCE, BRGY. UNO, PAGSANJAN, LAGUNA**

PARAMETER(S)	UNIT(S)	RESULT(S)	PNSDW LIMIT(/S)	METHOD(S)	ANALYZED	
					DATE	BY
Total Coliform	Coliforms/100 mL	<b>ABSENCE</b>	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	6/12/2019	JDE
Thermotolerant Coliform / <i>Escherichia coli</i>	Coliforms/100 mL	<b>ABSENCE</b>	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	6/12/2019	JDE
Heterotrophic Plate Count	CFU/mL	<b>1</b>	500 (max.)	9215B. Pour Plate Method	06/12/2019	JDE

Remarks: Samples analyzed as submitted. No deviations noted on sample collection and submission.

Legend: **CFU** – Colony Forming Units

**CERTIFIED CORRECT BY:**

  
 ANNA KARLA S. GUTIERREZ, RMT  
 Microbiologist, Head  
 PRC License No. 0060968

**NOTED BY:**

  
 CYRIL A. ERICA, RMT, MLS(ASCP)<sup>CM</sup>  
 Laboratory Services Manager  
 License No(s). (PRC 0054161/ASCP 10981)

Test Report QC Checked By: 

Date of Test Report QC Check: 

*This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis*

**ADDRESS:** 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

**CONTACT NO.:** (049) 543-1916

**WEBSITE:** [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

Test Report ID : TR-19-1862 Date Prepared : 06/28/2019  
 Sample Code : S19-2675  
 Name of Company / Customer : Laguna Water Corporation  
 Address : G/F, One Evotech Building, Nuvali, Brgy. Sto. Domingo, Sta. Rosa City, Laguna  
 Date/Time Collected : 06/12/2019 16:25 Date/Time Submitted : 06/12/2019 23:10  
 Collected By : Ohwen L. Catindig Submitted By : Ohwen L. Catindig  
 Condition of Sample Upon Receipt : 100 mL water sample in clear, glass, sterile container with 3% sodium thiosulfate  
 Sample Source Characteristics : Distribution – Network Sampling Point  
 References : Standard Methods for the Examination of Water and Wastewater, 23<sup>rd</sup> Edition  
 : DOH AO 2017-0010 "Philippine National Standards for Drinking Water of 2017"

### RESULTS OF LABORATORY ANALYSIS


**SAMPLE LOCATION : HERNANDEZ RESIDENCE, BRGY. DOS, PAGSANJAN, LAGUNA**

PARAMETER(S)	UNIT(S)	RESULT(S)	PNSDW LIMIT(/S)	METHOD(S)	ANALYZED	
					DATE	BY
Total Coliform	Coliforms/100 mL	ABSENCE	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	6/12/2019	JDE
Thermotolerant Coliform / <i>Escherichia coli</i>	Coliforms/100 mL	ABSENCE	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	6/12/2019	JDE
Heterotrophic Plate Count	CFU/mL	< 1	500 (max.)	9215B. Pour Plate Method	06/12/2019	JDE

Remarks: Samples analyzed as submitted. No deviations noted on sample collection and submission.

Legend: **CFU** – Colony Forming Units

**CERTIFIED CORRECT BY:**

  
 ANNA KARLA S. GUTIERREZ, RMT  
 Microbiologist, Head  
 PRC License No. 0060968

**NOTED BY:**

  
 CYRIL A. ERICA, RMT, MLS(ASCP)<sup>CM</sup>  
 Laboratory Services Manager  
 License No(s). (PRC 0054161/ASCP 10981)

Test Report QC Checked By: 

Date of Test Report QC Check: 

*This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis*



**ADDRESS:** 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna  
**CONTACT NO.:** (049) 543-1916  
**WEBSITE:** [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

Test Report ID : TR-19-1861 Date Prepared : 06/28/2019  
Sample Code : S19-2674  
Name of Company / Customer : Laguna Water Corporation  
Address : G/F, One Evotech Building, Nuvali, Brgy. Sto. Domingo, Sta. Rosa City, Laguna  
Date/Time Collected : 06/12/2019 14:01 Date/Time Submitted : 06/12/2019 23:10  
Collected By : Ohwen L. Catindig Submitted By : Ohwen L. Catindig  
Condition of Sample Upon Receipt : 100 mL water sample in clear, glass, sterile container with 3% sodium thiosulfate  
Sample Source Characteristics : Distribution – Network Sampling Point  
References : Standard Methods for the Examination of Water and Wastewater, 23<sup>rd</sup> Edition  
: DOH AO 2017-0010 “Philippine National Standards for Drinking Water of 2017”


### RESULTS OF LABORATORY ANALYSIS

**SAMPLE LOCATION : RESERVOIR, PUROK 6, MORESCO VILLE 2, SABANG, PAGSANJAN, LAGUNA**


PARAMETER(S)	UNIT(S)	RESULT(S)	PNSDW LIMIT(/S)	METHOD(S)	ANALYZED	
					DATE	BY
Total Coliform	Coliforms/100 mL	<b>ABSENCE</b>	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	6/12/2019	JDE
Thermotolerant Coliform / <i>Escherichia coli</i>	Coliforms/100 mL	<b>ABSENCE</b>	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	6/12/2019	JDE
Heterotrophic Plate Count	CFU/mL	<b>&lt; 1</b>	500 (max.)	9215B. Pour Plate Method	06/12/2019	JDE

Remarks: Samples analyzed as submitted. No deviations noted on sample collection and submission.  
Legend: **CFU** – Colony Forming Units


**CERTIFIED CORRECT BY:**

  
ANNA KARLA S. GUTIERREZ, RMT  
Microbiologist, Head  
PRC License No. 0060968

**NOTED BY:**

  
CYRIL A. ERICA, RMT, MLS(ASCP)<sup>CM</sup>  
Laboratory Services Manager  
License No(s). (PRC 0054161/ASCP 10981)

Test Report QC Checked By: 

Date of Test Report QC Check: 

*This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis*

**ADDRESS:** 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna  
**CONTACT NO.:** (049) 543-1916  
**WEBSITE:** [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

Test Report ID : TR-19-1860 Date Prepared : 06/28/2019  
Sample Code : S19-2673  
Name of Company / Customer : Laguna Water Corporation  
Address : G/F, One Evotech Building, Nuvali, Brgy. Sto. Domingo, Sta. Rosa City, Laguna  
Date/Time Collected : 06/12/2019 13:56 Date/Time Submitted : 06/12/2019 23:10  
Collected By : Ohwen L. Catindig Submitted By : Ohwen L. Catindig  
Condition of Sample Upon Receipt : 100 mL water sample in clear, glass, sterile container with 3% sodium thiosulfate  
Sample Source Characteristics : Source – Treated Water (w/ Chlorination)  
References : Standard Methods for the Examination of Water and Wastewater, 23<sup>rd</sup> Edition  
: DOH AO 2017-0010 "Philippine National Standards for Drinking Water of 2017"


## RESULTS OF LABORATORY ANALYSIS

**SAMPLE LOCATION : WATER PUMP, PUROK 6, MORESCO VILLE 2, SABANG, PAGSANJAN, LAGUNA**

PARAMETER(S)	UNIT(S)	RESULT(S)	PNSDW LIMIT(/S)	METHOD(S)	ANALYZED	
					DATE	BY
Total Coliform	Coliforms/100 mL	<b>ABSENCE</b>	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	6/12/2019	JDE
Thermotolerant Coliform / <i>Escherichia coli</i>	Coliforms/100 mL	<b>ABSENCE</b>	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	6/12/2019	JDE
Heterotrophic Plate Count	CFU/mL	<b>9</b>	500 (max.)	9215B. Pour Plate Method	06/12/2019	JDE

Remarks: Samples analyzed as submitted. No deviations noted on sample collection and submission.  
Legend: **CFU** – Colony Forming Units


**CERTIFIED CORRECT BY:**

  
ANNA KARLA S. GUTIERREZ, RMT  
Microbiologist, Head  
PRC License No. 0060968

**NOTED BY:**

  
CYRIL A. ERICA, RMT, MLS(ASCP)<sup>CM</sup>  
Laboratory Services Manager  
License No(s). (PRC 0054161/ASCP 10981)

Test Report QC Checked By: 

Date of Test Report QC Check: 

*This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis*