

**ADDRESS:** 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

**CONTACT NO.:** (049) 543-1916

**WEBSITE:** [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

**CUSTOMER NAME :** Laguna Water Corporation

**ADDRESS :** G/F, One Evotech Building, Nuvali, Brgy. Sto. Domingo, Sta. Rosa City, Laguna

**ATTENTION :** N/A

### SUMMARY OF LABORATORY ANALYSIS

**SAMPLE CODE(S) :** S20-0269

**DATE/TIME SUBMITTED :** 01/09/2020 16:31

**DATE/TIME COLLECTION :** 01/09/2020 09:11

**COLLECTED BY :** Edwin O. Aguilar

**NO. OF SAMPLES :** 1

**TOTAL PARAMETERS TESTED :** 2

**SAMPLE LOCATION :** WATER PUMP, MORESCO VILLE II, BRGY. SABANG, PAGSANJAN, LAGUNA

**SAMPLE CHARACTERISTICS :** 100 mL water sample in clear, polystyrene, sterile container with 3% sodium thiosulfate

PARAMETER(S)	UNIT(S)	RESULT(S)	METHOD(S)	ANALYSIS	
				DATE	BY
Total Coliform	Coliforms/100 mL	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	01/09/2020	JDE
Thermotolerant Coliform / <i>Escherichia coli</i>	Coliforms/100 mL	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	01/09/2020	JDE

**REMARKS:** Samples were analyzed as submitted.

**NOTE: A** – Method is not part of DENR-ELR Recognized Parameters

**DEVIATIONS:** No deviations noted on sample collection and submission.

**METHOD REFERENCE:** Standard Methods for the Examination of Water and Wastewater, 23<sup>rd</sup> Edition

**NOT VALID WITHOUT QR STAMP**



**ANALYZED BY:**

*[Signature]*  
JETHRO D. ESCOBIN  
Microbiology Unit Manager, OIC

**CERTIFIED CORRECT BY:**

*[Signature]*  
ANNA KARLA S. BUTIERREZ, RMT  
Laboratory Services Manager, OIC  
PRC License No. 0060968

*This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis*

**ADDRESS:** 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

**CONTACT NO.:** (049) 543-1916

**WEBSITE:** [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

**CUSTOMER NAME :** Laguna Water Corporation

**ADDRESS :** G/F, One Evotech Building, Nuvali, Brgy. Sto. Domingo, Sta. Rosa City, Laguna

**ATTENTION :** N/A

### SUMMARY OF LABORATORY ANALYSIS

**SAMPLE CODE(S) :** S20-0270

**DATE/TIME SUBMITTED :** 01/09/2020 16:31

**DATE/TIME COLLECTION :** 01/09/2020 09:20

**COLLECTED BY :** Edwin O. Aguilar

**NO. OF SAMPLES :** 1

**TOTAL PARAMETERS TESTED :** 2

**SAMPLE LOCATION :** RESERVOIR, MORESCO VILLE II, BRGY. SABANG, PAGSANJAN, LAGUNA

**SAMPLE CHARACTERISTICS :** 100 mL water sample in clear, polystyrene, sterile container with 3% sodium thiosulfate

PARAMETER(S)	UNIT(S)	RESULT(S)	METHOD(S)	ANALYSIS	
				DATE	BY
Total Coliform	Coliforms/100 mL	<b>ABSENCE</b>	9223B. Enzyme Substrate Test (Colilert-18®)	01/09/2020	JDE
Thermotolerant Coliform / <i>Escherichia coli</i>	Coliforms/100 mL	<b>ABSENCE</b>	9223B. Enzyme Substrate Test (Colilert-18®)	01/09/2020	JDE

**REMARKS:** Samples were analyzed as submitted.

**NOTE:** **A** – Method is not part of DENR-ELR Recognized Parameters

**DEVIATIONS:** No deviations noted on sample collection and submission.

**METHOD REFERENCE:** Standard Methods for the Examination of Water and Wastewater, 23<sup>rd</sup> Edition

**NOT VALID WITHOUT QR STAMP**



**TR20-0202**

January 21, 2020 9:26 AM

O  
R  
I  
G



**ANALYZED BY:**

JETHRO D. ESCOBIN  
Microbiology Unit Manager, OIC

**CERTIFIED CORRECT BY:**

ANNA KARLA S. GUTIERREZ, RMT  
Laboratory Services Manager, OIC  
PRC License No. 0060968

*This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis*

ADDRESS: 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

CONTACT NO.: (049) 543-1916

WEBSITE: [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

**CUSTOMER NAME** : Laguna Water Corporation

**ADDRESS** : G/F, One Evotech Building, Nuvali, Brgy. Sto. Domingo, Sta. Rosa City, Laguna

**ATTENTION** : N/A

### SUMMARY OF LABORATORY ANALYSIS

**SAMPLE CODE(S)** : S20-0271

**DATE/TIME SUBMITTED** : 01/09/2020 16:31

**DATE/TIME COLLECTION** : 01/09/2020 12:55

**COLLECTED BY** : Edwin O. Aguilar

**NO. OF SAMPLES** : 1

**TOTAL PARAMETERS TESTED** : 2

**SAMPLE LOCATION** : CHRISTIAN HOSPITAL, BRGY. POBLACION 1, PAGSANJAN, LAGUNA

**SAMPLE CHARACTERISTICS** : 100 mL water sample in clear, polystyrene, sterile container with 3% sodium thiosulfate

PARAMETER(S)	UNIT(S)	RESULT(S)	METHOD(S)	ANALYSIS	
				DATE	BY
Total Coliform	Coliforms/100 mL	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	01/09/2020	JDE
Thermotolerant Coliform / <i>Escherichia coli</i>	Coliforms/100 mL	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	01/09/2020	JDE

**REMARKS:** Samples were analyzed as submitted.

**NOTE:** A – Method is not part of DENR-ELR Recognized Parameters

**DEVIATIONS:** No deviations noted on sample collection and submission.

**METHOD REFERENCE:** Standard Methods for the Examination of Water and Wastewater, 23<sup>rd</sup> Edition

NOT VALID WITHOUT QR STAMP




O  
R  
I  
G




**TR20-0203**  
January 21, 2020 9:26 AM

ANALYZED BY:

  
JETHRO D. ESCOBIN  
Microbiology Unit Manager, OIC

CERTIFIED CORRECT BY:

  
ANNA KARLA S. GUTIERREZ, RMT  
Laboratory Services Manager, OIC  
PRC License No. 0060968

This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis

ADDRESS: 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

CONTACT NO.: (049) 543-1916

WEBSITE: [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

**CUSTOMER NAME** : Laguna Water Corporation

**ADDRESS** : G/F, One Evotech Building, Nuvali, Brgy. Sto. Domingo, Sta. Rosa City, Laguna

**ATTENTION** : N/A

### SUMMARY OF LABORATORY ANALYSIS

**SAMPLE CODE(S)** : S20-0272

**DATE/TIME SUBMITTED** : 01/09/2020 16:31

**DATE/TIME COLLECTION** : 01/09/2020 12:30

**COLLECTED BY** : Edwin O. Aguilar

**NO. OF SAMPLES** : 1

**TOTAL PARAMETERS TESTED** : 2

**SAMPLE LOCATION** : SILVESTRE RESIDENCE, BRGY. POBLACION 2, PAGSANJAN, LAGUNA

**SAMPLE CHARACTERISTICS** : 100 mL water sample in clear, polystyrene, sterile container with 3% sodium thiosulfate

PARAMETER(S)	UNIT(S)	RESULT(S)	METHOD(S)	ANALYSIS	
				DATE	BY
Total Coliform	Coliforms/100 mL	<b>ABSENCE</b>	9223B. Enzyme Substrate Test (Colilert-18®)	01/09/2020	JDE
Thermotolerant Coliform / <i>Escherichia coli</i>	Coliforms/100 mL	<b>ABSENCE</b>	9223B. Enzyme Substrate Test (Colilert-18®)	01/09/2020	JDE

**REMARKS:** Samples were analyzed as submitted.

**NOTE:** **A** – Method is not part of DENR-ELR Recognized Parameters

**DEVIATIONS:** No deviations noted on sample collection and submission.

**METHOD REFERENCE:** Standard Methods for the Examination of Water and Wastewater, 23<sup>rd</sup> Edition

**NOT VALID WITHOUT QR STAMP**



**TR20-0204**  
January 21, 2020 9:27 AM


O  
R  
I  
G



**ANALYZED BY:**

  
JETHRO D. ESCOBIN  
Microbiology Unit Manager, OIC

**CERTIFIED CORRECT BY:**

  
ANNA KARLA S. GUTIERREZ, RMT  
Laboratory Services Manager, OIC  
PRC License No. 0060968

This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis

ADDRESS: 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

CONTACT NO.: (049) 543-1916

WEBSITE: [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

**CUSTOMER NAME** : Laguna Water Corporation

**ADDRESS** : G/F, One Evotech Building, Nuvali, Brgy. Sto. Domingo, Sta. Rosa City, Laguna

**ATTENTION** : N/A

### SUMMARY OF LABORATORY ANALYSIS

**SAMPLE CODE(S)** : S20-0273

**DATE/TIME SUBMITTED** : 01/09/2020 16:31

**DATE/TIME COLLECTION** : 01/09/2020 12:22

**COLLECTED BY** : Edwin O. Aguilar

**NO. OF SAMPLES** : 1

**TOTAL PARAMETERS TESTED** : 2

**SAMPLE LOCATION** : PUMP STATION 5, BRGY. POBLACION 2, PAGSANJAN, LAGUNA

**SAMPLE CHARACTERISTICS** : 100 mL water sample in clear, polystyrene, sterile container with 3% sodium thiosulfate

PARAMETER(S)	UNIT(S)	RESULT(S)	METHOD(S)	ANALYSIS	
				DATE	BY
Total Coliform	Coliforms/100 mL	<b>ABSENCE</b>	9223B. Enzyme Substrate Test (Colilert-18®)	01/09/2020	JDE
Thermotolerant Coliform / <i>Escherichia coli</i>	Coliforms/100 mL	<b>ABSENCE</b>	9223B. Enzyme Substrate Test (Colilert-18®)	01/09/2020	JDE

**REMARKS:** Samples were analyzed as submitted.

**NOTE:** A – Method is not part of DENR-ELR Recognized Parameters

**DEVIATIONS:** No deviations noted on sample collection and submission.

**METHOD REFERENCE:** Standard Methods for the Examination of Water and Wastewater, 23<sup>rd</sup> Edition

**NOT VALID WITHOUT QR STAMP**




O  
R  
I  
G




**TR20-0205**

January 21, 2020 9:27 AM

**ANALYZED BY:**

  
JETHRO D. ESCOBIN  
Microbiology Unit Manager, OIC

**CERTIFIED CORRECT BY:**

  
ANNA KARLA S. GUTIERREZ, RMT  
Laboratory Services Manager, OIC  
PRC License No. 0060968

This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis



ADDRESS: 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

CONTACT NO.: (049) 543-1916

WEBSITE: [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

**CUSTOMER NAME** : Laguna Water Corporation

**ADDRESS** : G/F, One Evotech Building, Nuvali, Brgy. Sto. Domingo, Sta. Rosa City, Laguna

**ATTENTION** : N/A

### SUMMARY OF LABORATORY ANALYSIS

**SAMPLE CODE(S)** : S20-0274

**DATE/TIME SUBMITTED** : 01/09/2020 16:31

**DATE/TIME COLLECTION** : 01/09/2020 10:04

**COLLECTED BY** : Edwin O. Aguilar

**NO. OF SAMPLES** : 1

**TOTAL PARAMETERS TESTED** : 2

**SAMPLE LOCATION** : BIG BOY EATERY, RIZAL STREET, BRGY. POBLACION 2, PAGSANJAN, LAGUNA

**SAMPLE CHARACTERISTICS** : 100 mL water sample in clear, polystyrene, sterile container with 3% sodium thiosulfate

PARAMETER(S)	UNIT(S)	RESULT(S)	METHOD(S)	ANALYSIS	
				DATE	BY
Total Coliform	Coliforms/100 mL	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	01/09/2020	JDE
Thermotolerant Coliform / <i>Escherichia coli</i>	Coliforms/100 mL	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	01/09/2020	JDE

**REMARKS:** Samples were analyzed as submitted.

**NOTE: A** – Method is not part of DENR-ELR Recognized Parameters

**DEVIATIONS:** No deviations noted on sample collection and submission.

**METHOD REFERENCE:** Standard Methods for the Examination of Water and Wastewater, 23<sup>rd</sup> Edition

NOT VALID WITHOUT QR STAMP




O  
R  
I  
G




**TR20-0206**

January 21, 2020 9:28 AM

ANALYZED BY:

  
JETHRO D. ESCOBIN  
Microbiology Unit Manager, OIC

CERTIFIED CORRECT BY:

  
ANNA KARLA S. GUTIERREZ, RMT  
Laboratory Services Manager, OIC  
PRC License No. 0060968

This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis

ADDRESS: 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna  
CONTACT NO.: (049) 543-1916  
WEBSITE: [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

**CUSTOMER NAME** : Laguna Water Corporation

**ADDRESS** : G/F, One Evotech Building, Nuvali, Brgy. Sto. Domingo, Sta. Rosa City, Laguna

**ATTENTION** : N/A

### SUMMARY OF LABORATORY ANALYSIS

**SAMPLE CODE(S)** : S20-0275

**DATE/TIME SUBMITTED** : 01/09/2020 16:31

**DATE/TIME COLLECTION** : 01/09/2020 09:50

**COLLECTED BY** : Edwin O. Aguilar

**NO. OF SAMPLES** : 1

**TOTAL PARAMETERS TESTED** : 2

**SAMPLE LOCATION** : PAGSANJAN MEDICAL CENTER, BRGY. SAMPALOC, PAGSANJAN, LAGUNA

**SAMPLE CHARACTERISTICS** : 100 mL water sample in clear, polystyrene, sterile container with 3% sodium thiosulfate

PARAMETER(S)	UNIT(S)	RESULT(S)	METHOD(S)	ANALYSIS	
				DATE	BY
Total Coliform	Coliforms/100 mL	<b>ABSENCE</b>	9223B. Enzyme Substrate Test (Colilert-18®)	01/09/2020	JDE
Thermotolerant Coliform / <i>Escherichia coli</i>	Coliforms/100 mL	<b>ABSENCE</b>	9223B. Enzyme Substrate Test (Colilert-18®)	01/09/2020	JDE

**REMARKS:** Samples were analyzed as submitted.

**NOTE: A** – Method is not part of DENR-ELR Recognized Parameters

**DEVIATIONS:** No deviations noted on sample collection and submission.

**METHOD REFERENCE:** Standard Methods for the Examination of Water and Wastewater, 23<sup>rd</sup> Edition

NOT VALID WITHOUT QR STAMP



O  
R  
I  
G



**TR20-0207**

January 21, 2020 9:29 AM

ANALYZED BY:

JETHRO D. ESCOBIN  
Microbiology Unit Manager, OIC

CERTIFIED CORRECT BY:

ANNA KARLA S. GUTIERREZ, RMT  
Laboratory Services Manager, OIC  
PRC License No. 0060968

This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis

**ADDRESS:** 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

**CONTACT NO.:** (049) 543-1916

**WEBSITE:** [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

**CUSTOMER NAME :** Laguna Water Corporation

**ADDRESS :** G/F, One Evotech Building, Nuvali, Brgy. Sto. Domingo, Sta. Rosa City, Laguna

**ATTENTION :** N/A

### SUMMARY OF LABORATORY ANALYSIS

**SAMPLE CODE(S) :** S20-0276

**DATE/TIME SUBMITTED :** 01/09/2020 16:31

**DATE/TIME COLLECTION :** 01/09/2020 12:43

**COLLECTED BY :** Edwin O. Aguilar

**NO. OF SAMPLES :** 1

**TOTAL PARAMETERS TESTED :** 2

**SAMPLE LOCATION :** PUMP STATION 4, BRGY. POBLACION UNO, PAGSANJAN, LAGUNA

**SAMPLE CHARACTERISTICS :** 100 mL water sample in clear, polystyrene, sterile container with 3% sodium thiosulfate

PARAMETER(S)	UNIT(S)	RESULT(S)	METHOD(S)	ANALYSIS	
				DATE	BY
Total Coliform	Coliforms/100 mL	<b>ABSENCE</b>	9223B. Enzyme Substrate Test (Colilert-18®)	01/09/2020	JDE
Thermotolerant Coliform / <i>Escherichia coli</i>	Coliforms/100 mL	<b>ABSENCE</b>	9223B. Enzyme Substrate Test (Colilert-18®)	01/09/2020	JDE

**REMARKS:** Samples were analyzed as submitted.

**NOTE:** **A** – Method is not part of DENR-ELR Recognized Parameters

**DEVIATIONS:** No deviations noted on sample collection and submission.

**METHOD REFERENCE:** Standard Methods for the Examination of Water and Wastewater, 23<sup>rd</sup> Edition

**NOT VALID WITHOUT QR STAMP**




O  
R  
I  
G




**TR20-0208**

January 21, 2020 9:30 AM

**ANALYZED BY:**

  
JETHRO D. ESCOBIN  
Microbiology Unit Manager, OIC

**CERTIFIED CORRECT BY:**

  
ANNA KARLA S. GUTIERREZ, RMT  
Laboratory Services Manager, OIC  
PRC License No. 0060968

*This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis*



**ADDRESS:** 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna  
**CONTACT NO.:** (049) 543-1916  
**WEBSITE:** [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

**CUSTOMER NAME :** Laguna Water Corporation

**ADDRESS :** G/F, One Evotech Building, Nuvali, Brgy. Sto. Domingo, Sta. Rosa City, Laguna

**ATTENTION :** N/A

### SUMMARY OF LABORATORY ANALYSIS

**SAMPLE CODE(S) :** S20-0277

**DATE/TIME SUBMITTED :** 01/09/2020 16:31

**DATE/TIME COLLECTION :** 01/09/2020 10:46

**COLLECTED BY :** Edwin O. Aguilar

**NO. OF SAMPLES :** 1

**TOTAL PARAMETERS TESTED :** 2

**SAMPLE LOCATION :** PUMP STATION 7, BRGY. PINAGSANGAN, PAGSANJAN, LAGUNA

**SAMPLE CHARACTERISTICS :** 100 mL water sample in clear, polystyrene, sterile container with 3% sodium thiosulfate

PARAMETER(S)	UNIT(S)	RESULT(S)	METHOD(S)	ANALYSIS	
				DATE	BY
Total Coliform	Coliforms/100 mL	<b>ABSENCE</b>	9223B. Enzyme Substrate Test (Colilert-18®)	01/09/2020	JDE
Thermotolerant Coliform / <i>Escherichia coli</i>	Coliforms/100 mL	<b>ABSENCE</b>	9223B. Enzyme Substrate Test (Colilert-18®)	01/09/2020	JDE

**REMARKS:** Samples were analyzed as submitted.

**NOTE: A** – Method is not part of DENR-ELR Recognized Parameters

**DEVIATIONS:** No deviations noted on sample collection and submission.

**METHOD REFERENCE:** Standard Methods for the Examination of Water and Wastewater, 23<sup>rd</sup> Edition

**NOT VALID WITHOUT QR STAMP**



O  
R  
I  
G



**TR20-0209**  
January 21, 2020 9:34 AM

**ANALYZED BY:**

JETHRO D. ESCOBIN  
Microbiology Unit Manager, OIC

**CERTIFIED CORRECT BY:**

ANNA KARLA Y. GUTIERREZ, RMT  
Laboratory Services Manager, OIC  
PRC License No. 0060968

*This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis*

ADDRESS: 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

CONTACT NO.: (049) 543-1916

WEBSITE: [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

**CUSTOMER NAME** : Laguna Water Corporation

**ADDRESS** : G/F, One Evotech Building, Nuvali, Brgy. Sto. Domingo, Sta. Rosa City, Laguna

**ATTENTION** : N/A

### SUMMARY OF LABORATORY ANALYSIS

**SAMPLE CODE(S)** : S20-0278

**DATE/TIME SUBMITTED** : 01/09/2020 16:31

**DATE/TIME COLLECTION** : 01/09/2020 11:25

**COLLECTED BY** : Edwin O. Aguilar

**NO. OF SAMPLES** : 1

**TOTAL PARAMETERS TESTED** : 2

**SAMPLE LOCATION** : EMIL'S PANSITAN, BRGY. PINAGSANGAN, PAGSANJAN, LAGUNA

**SAMPLE CHARACTERISTICS** : 100 mL water sample in clear, polystyrene, sterile container with 3% sodium thiosulfate

PARAMETER(S)	UNIT(S)	RESULT(S)	METHOD(S)	ANALYSIS	
				DATE	BY
Total Coliform	Coliforms/100 mL	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	01/09/2020	JDE
Thermotolerant Coliform / <i>Escherichia coli</i>	Coliforms/100 mL	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	01/09/2020	JDE

**REMARKS:** Samples were analyzed as submitted.

**NOTE:** A – Method is not part of DENR-ELR Recognized Parameters

**DEVIATIONS:** No deviations noted on sample collection and submission.

**METHOD REFERENCE:** Standard Methods for the Examination of Water and Wastewater, 23<sup>rd</sup> Edition

NOT VALID WITHOUT QR STAMP



O  
R  
I  
G



**TR20-0210**  
January 21, 2020 9:34 AM

ANALYZED BY:

JETHRO D ESCOBIN  
Microbiology Unit Manager, OIC

CERTIFIED CORRECT BY:

ANNA KARLA S. GUTIERREZ, RMT  
Laboratory Services Manager, OIC  
PRC License No. 0060968

This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis

ADDRESS: 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

CONTACT NO.: (049) 543-1916

WEBSITE: [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

**CUSTOMER NAME** : Laguna Water Corporation

**ADDRESS** : G/F, One Evotech Building, Nuvali, Brgy. Sto. Domingo, Sta. Rosa City, Laguna

**ATTENTION** : N/A

## SUMMARY OF LABORATORY ANALYSIS

**SAMPLE CODE(S)** : S20-0279

**DATE/TIME SUBMITTED** : 01/09/2020 16:31

**DATE/TIME COLLECTION** : 01/09/2020 11:15

**COLLECTED BY** : Edwin O. Aguilar

**NO. OF SAMPLES** : 1

**TOTAL PARAMETERS TESTED** : 2

**SAMPLE LOCATION** : PUMP STATION 2, BRGY. PINAGSANGAN, PAGSANJAN, LAGUNA

**SAMPLE CHARACTERISTICS** : 100 mL water sample in clear, polystyrene, sterile container with 3% sodium thiosulfate

PARAMETER(S)	UNIT(S)	RESULT(S)	METHOD(S)	ANALYSIS	
				DATE	BY
Total Coliform	Coliforms/100 mL	<b>ABSENCE</b>	9223B. Enzyme Substrate Test (Colilert-18®)	01/09/2020	JDE
Thermotolerant Coliform / <i>Escherichia coli</i>	Coliforms/100 mL	<b>ABSENCE</b>	9223B. Enzyme Substrate Test (Colilert-18®)	01/09/2020	JDE

**REMARKS:** Samples were analyzed as submitted.

**NOTE:** A – Method is not part of DENR-ELR Recognized Parameters

**DEVIATIONS:** No deviations noted on sample collection and submission.

**METHOD REFERENCE:** Standard Methods for the Examination of Water and Wastewater, 23<sup>rd</sup> Edition

NOT VALID WITHOUT QR STAMP



O  
R  
I  
G



**TR20-0211**  
January 21, 2020 9:37 AM

ANALYZED BY:

JETHRO D. ESCOBIN  
Microbiology Unit Manager, OIC

CERTIFIED CORRECT BY:

ANNA KARLA S. GUTIERREZ, RMT  
Laboratory Services Manager, OIC  
PRC License No. 0060968

This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis

**ADDRESS:** 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna  
**CONTACT NO.:** (049) 543-1916  
**WEBSITE:** [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

**CUSTOMER NAME :** Laguna Water Corporation

**ADDRESS :** G/F, One Evotech Building, Nuvali, Brgy. Sto. Domingo, Sta. Rosa City, Laguna

**ATTENTION :** N/A

### SUMMARY OF LABORATORY ANALYSIS

**SAMPLE CODE(S) :** S20-0280

**DATE/TIME SUBMITTED :** 01/09/2020 16:31

**DATE/TIME COLLECTION :** 01/09/2020 11:00

**COLLECTED BY :** Edwin O. Aguilar

**NO. OF SAMPLES :** 1

**TOTAL PARAMETERS TESTED :** 2

**SAMPLE LOCATION :** MANALO RESIDENCE, BRGY. PINAGSANGAN, PAGSANJAN, LAGUNA

**SAMPLE CHARACTERISTICS :** 100 mL water sample in clear, polystyrene, sterile container with 3% sodium thiosulfate

PARAMETER(S)	UNIT(S)	RESULT(S)	METHOD(S)	ANALYSIS	
				DATE	BY
Total Coliform	Coliforms/100 mL	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	01/09/2020	JDE
Thermotolerant Coliform / <i>Escherichia coli</i>	Coliforms/100 mL	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	01/09/2020	JDE

**REMARKS:** Samples were analyzed as submitted.

**NOTE:** A – Method is not part of DENR-ELR Recognized Parameters

**DEVIATIONS:** No deviations noted on sample collection and submission.

**METHOD REFERENCE:** Standard Methods for the Examination of Water and Wastewater, 23<sup>rd</sup> Edition

**NOT VALID WITHOUT QR STAMP**



O  
R  
I  
G



**TR20-0212**

January 21, 2020 9:39 AM

**ANALYZED BY:**

JETHRO D. ESCOBIN  
Microbiology Unit Manager, OIC

**CERTIFIED CORRECT BY:**

ANNA KARLA S. GUTIERREZ, RMT  
Laboratory Services Manager, OIC  
PRC License No. 0060968

*This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis*

**Accreditations, Recognitions and Licenses:**

DOH Accredited Testing Laboratory (04A-001-1820-LW-2);  
DENR Environmental Laboratory Recognition (ELR Code 04-30);  
PNRI (RML No. Y04.04132.17)  
PRC Certificate of Authority to Operate No. 111  
PNP (License No. PDD03-230616-04201)

ADDRESS: 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

CONTACT NO.: (049) 543-1916

WEBSITE: [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

**CUSTOMER NAME** : Laguna Water Corporation

**ADDRESS** : G/F, One Evotech Building, Nuvali, Brgy. Sto. Domingo, Sta. Rosa City, Laguna

**ATTENTION** : N/A

**SUMMARY OF LABORATORY ANALYSIS**

**SAMPLE CODE(S)** : S20-0281

**DATE/TIME SUBMITTED** : 01/09/2020 16:31

**DATE/TIME COLLECTION** : 01/09/2020 10:30

**COLLECTED BY** : Edwin O. Aguilar

**NO. OF SAMPLES** : 1

**TOTAL PARAMETERS TESTED** : 2

**SAMPLE LOCATION** : ZALAMEDA RESIDENCE, BRGY. MAULAWIN, PAGSANJAN, LAGUNA

**SAMPLE CHARACTERISTICS** : 100 mL water sample in clear, polystyrene, sterile container with 3% sodium thiosulfate

PARAMETER(S)	UNIT(S)	RESULT(S)	METHOD(S)	ANALYSIS	
				DATE	BY
Total Coliform	Coliforms/100 mL	<b>ABSENCE</b>	9223B. Enzyme Substrate Test (Colilert-18®)	01/09/2020	JDE
Thermotolerant Coliform / <i>Escherichia coli</i>	Coliforms/100 mL	<b>ABSENCE</b>	9223B. Enzyme Substrate Test (Colilert-18®)	01/09/2020	JDE

**REMARKS:** Samples were analyzed as submitted.

**NOTE:** A – Method is not part of DENR-ELR Recognized Parameters

**DEVIATIONS:** No deviations noted on sample collection and submission.

**METHOD REFERENCE:** Standard Methods for the Examination of Water and Wastewater, 23<sup>rd</sup> Edition

**NOT VALID WITHOUT QR STAMP**



**TR20-0213**

January 21, 2020 9:40 AM



O  
R  
I  
G

**ANALYZED BY:**

JETHRO D. ESCOBIN  
Microbiology Unit Manager, OIC

**CERTIFIED CORRECT BY:**

ANNA KARIA S. GUTIERREZ, RMT  
Laboratory Services Manager, OIC  
PRC License No. 0040968



**ADDRESS:** 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna

**CONTACT NO.:** (049) 543-1916

**WEBSITE:** [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

**CUSTOMER NAME :** Laguna Water Corporation

**ADDRESS :** G/F, One Evotech Building, Nuvali, Brgy. Sto. Domingo, Sta. Rosa City, Laguna

**ATTENTION :** N/A

### SUMMARY OF LABORATORY ANALYSIS

**SAMPLE CODE(S) :** S20-0282

**DATE/TIME SUBMITTED :** 01/09/2020 16:31

**DATE/TIME COLLECTION :** 01/09/2020 08:05

**COLLECTED BY :** Edwin O. Aguilar

**NO. OF SAMPLES :** 1

**TOTAL PARAMETERS TESTED :** 2

**SAMPLE LOCATION :** PAGWAD OFFICE, J.P. RIZAL ST., BRGY. DOS, PAGSANJAN, LAGUNA

**SAMPLE CHARACTERISTICS :** 100 mL water sample in clear, polystyrene, sterile container with 3% sodium thiosulfate

PARAMETER(S)	UNIT(S)	RESULT(S)	METHOD(S)	ANALYSIS	
				DATE	BY
Total Coliform	Coliforms/100 mL	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	01/09/2020	JDE
Thermotolerant Coliform / <i>Escherichia coli</i>	Coliforms/100 mL	ABSENCE	9223B. Enzyme Substrate Test (Colilert-18®)	01/09/2020	JDE

**REMARKS:** Samples were analyzed as submitted.

**NOTE:** A – Method is not part of DENR-ELR Recognized Parameters

**DEVIATIONS:** No deviations noted on sample collection and submission.

**METHOD REFERENCE:** Standard Methods for the Examination of Water and Wastewater, 23<sup>rd</sup> Edition

**NOT VALID WITHOUT QR STAMP**



O  
R  
I  
G




**TR20-0214**

**January 21, 2020 9:42 AM**

**ANALYZED BY:**

  
JETHRO D. ESCOBIN  
Microbiology Unit Manager, OIC

**CERTIFIED CORRECT BY:**

  
ANNA KARLA S. GUTIERREZ, RMT  
Laboratory Services Manager, OIC  
PRC License No. 0060968

*This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis*

ADDRESS: 8 North Science Avenue, Laguna Technopark Inc., Brgy. Biñan (Poblacion), Biñan City, Laguna  
CONTACT NO.: (049) 543-1916  
WEBSITE: [www.lagunawater.com.ph](http://www.lagunawater.com.ph)

**CUSTOMER NAME** : Laguna Water Corporation

**ADDRESS** : G/F, One Evotech Building, Nuvali, Brgy. Sto. Domingo, Sta. Rosa City, Laguna

**ATTENTION** : N/A

### SUMMARY OF LABORATORY ANALYSIS

**SAMPLE CODE(S)** : S20-0283

**DATE/TIME SUBMITTED** : 01/09/2020 16:31

**DATE/TIME COLLECTION** : 01/09/2020 09:20

**COLLECTED BY** : Edwin O. Aguilar

**NO. OF SAMPLES** : 1

**TOTAL PARAMETERS TESTED** : 2

**SAMPLE LOCATION** : SAMPALOC ELEMENTARY SCHOOL, BRGY. SAMPALOC, PAGSANJAN, LAGUNA

**SAMPLE CHARACTERISTICS** : 100 mL water sample in clear, polystyrene, sterile container with 3% sodium thiosulfate

PARAMETER(S)	UNIT(S)	RESULT(S)	METHOD(S)	ANALYSIS	
				DATE	BY
Total Coliform	Coliforms/100 mL	<b>ABSENCE</b>	9223B. Enzyme Substrate Test (Colilert-18®)	01/09/2020	JDE
Thermotolerant Coliform / <i>Escherichia coli</i>	Coliforms/100 mL	<b>ABSENCE</b>	9223B. Enzyme Substrate Test (Colilert-18®)	01/09/2020	JDE

**REMARKS:** Samples were analyzed as submitted.

**NOTE:** **A** – Method is not part of DENR-ELR Recognized Parameters

**DEVIATIONS:** No deviations noted on sample collection and submission.

**METHOD REFERENCE:** Standard Methods for the Examination of Water and Wastewater, 23<sup>rd</sup> Edition

NOT VALID WITHOUT QR STAMP



**TR20-0215**

January 21, 2020 9:43 AM

O  
R  
I  
G



ANALYZED BY:

JETHRO D. ESCOBIN  
Microbiology Unit Manager, OIC

CERTIFIED CORRECT BY:

ANNA KARLA S. GUTIERREZ, RMT  
Laboratory Services Manager, OIC  
PRC License No. 0060968

This report may not be reproduced in part or in full and may not be used for advertisement or litigation purposes without permission from Laguna AAWater Corporation. This report is certified to have passed the Laguna AAWater Corporation Quality Control procedures for reporting results of analysis